

Sectioning commands with critical notes in parallel columns

This file provides examples of using sectioning commands with `reledpar`. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use `\eledsectnotoc{L}` to say we want the right titles be added to the table of contents, and not the left titles. We also use `\eledsectmark{R}` to use the right side to add \LaTeX marks for headers.

We use the `\reledxxx` commands, each of them in their own `\pstart . . . \pend` group. Page clearings are manually added before chapter with `\beforeeledchapter`.

Contents

1	Right chapter	5
1.1	Right section	5
1.1.1	Right subsection	5
1.2	Right section	5
2	Right chapter	7
2.1	Right section	7
2.1.1	Right subsection	7
2.2	Right section	7

Chapter 1

1 Left chapter

2 I use git to manage some packages.
3 I would like to add a pre-commit hook,
4 to check if I have forgotten For now,
5 I have a minimal pre-commit, which
6 tests only the blank spaces at ends of
7 lines, but not the forgotten..

8 1.1 Left section

9 1.1.1 Left subsection

10 Left subsubsection

11 I use git to manage some packages.
12 I would like to add a pre-commit hook,
13 to check if I have forgotten For now,
14 I have a minimal pre-commit, which
15 tests only the blank spaces at ends of
16 lines, but not the forgotten.

17 1.2 Left section

1 chapter] chapitre
1 chapter] chapitre
9 subsection] sous-section
9 subsection] sous-section
10 subsubsection] sous-sous-section
10 subsubsection] sous-sous-section

Chapter 1

Right chapter 1R

2R I use git to manage some packages.
3R I would like to add a pre-commit hook,
4R to check if I have forgotten For now,
5R I have a minimal pre-commit, which
6R tests only the blank spaces at ends of
7R lines, but not the forgotten..

1.1 Right section 8R

1.1.1 Right subsection 9R

Right subsubsection 10R

11R I use git to manage some packages.
12R I would like to add a pre-commit hook,
13R to check if I have forgotten For now,
14R I have a minimal pre-commit, which
15R tests only the blank spaces at ends of
16R lines, but not the forgotten.

1.2 Right section 17R

18 I use git to manage some packages.
19 I would like to add a pre-commit hook,
20 to check if I have forgotten For now,
21 I have a minimal pre-commit, which
22 tests only the blank spaces at ends of
23 lines, but not the forgotten.

I use git to manage some packages. 18R
I would like to add a pre-commit hook, 19R
to check if I have forgotten For now, 20R
I have a minimal pre-commit, which 21R
tests only the blank spaces at ends of 22R
lines, but not the forgotten. 23R

Chapter 2

1 Left chapter

2 I use git to manage some packages.
3 I would like to add a pre-commit hook,
4 to check if I have forgotten For now,
5 I have a minimal pre-commit, which
6 tests only the blank spaces at ends of
7 lines, but not the forgotten..

8 2.1 Left section

9 2.1.1 Left subsection

10 Left subsubsection

11 I use git to manage some packages.
12 I would like to add a pre-commit hook,
13 to check if I have forgotten For now,
14 I have a minimal pre-commit, which
15 tests only the blank spaces at ends of
16 lines, but not the forgotten.

17 2.2 Left section

1 chapter] chapitre
1 chapter] chapitre
9 subsection] sous-section
9 subsection] sous-section
10 subsubsection] sous-sous-section
10 subsubsection] sous-sous-section

Chapter 2

Right chapter 1R

I use git to manage some packages. 2R
I would like to add a pre-commit hook, 3R
to check if I have forgotten For now, 4R
I have a minimal pre-commit, which 5R
tests only the blank spaces at ends of 6R
lines, but not the forgotten.. 7R

2.1 Right section 8R

2.1.1 Right subsection 9R

Right subsubsection 10R

I use git to manage some packages. 11R
I would like to add a pre-commit hook, 12R
to check if I have forgotten For now, 13R
I have a minimal pre-commit, which 14R
tests only the blank spaces at ends of 15R
lines, but not the forgotten. 16R

2.2 Right section 17R

18 I use git to manage some packages.
19 I would like to add a pre-commit hook,
20 to check if I have forgotten For now,
21 I have a minimal pre-commit, which
22 tests only the blank spaces at ends of
23 lines, but not the forgotten.

I use git to manage some packages. 18R
I would like to add a pre-commit hook, 19R
to check if I have forgotten For now, 20R
I have a minimal pre-commit, which 21R
tests only the blank spaces at ends of 22R
lines, but not the forgotten. 23R